Today's Date: _____ Child's Name: _____ Date of Birth: ______ Parent's Name: _____ Parent's Phone Number: _____ Directions: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months.

 \square was on medication \square was not on medication \square not sure?

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Symptoms	Never	Occasionally	Often	Very Often
Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Is this evaluation based on a time when the child

Copyright @2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 1102

American Academy of Pediatrics







NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date:	Child's Name:		Date of Birth:	
Parent's Name		Parent's Phone Number		

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her	" 0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

				Somewhat	t
		Above		of a	
Performance	Excellent	Average	Average	Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only Total number of questions scored 2 or 3 in questions 1–9: Total number of questions scored 2 or 3 in questions 10–18: Total Symptom Score for questions 1–18: Total number of questions scored 2 or 3 in questions 19–26: Total number of questions scored 2 or 3 in questions 27–40: Total number of questions scored 2 or 3 in questions 41–47: Total number of questions scored 4 or 5 in questions 48–55: Average Performance Score:







דע	MICHQ Validerbilt Assessment	Jeane TEACHER	mormant		
Teache	er's Name: Class Tim	e:	Class Name/F	Period:	
Today	r's Date: Child's Name:	Grade l	Level:		
Direct	tions: Each rating should be considered in the context and should reflect that child's behavior since the weeks or months you have been able to evaluate	beginning of the sc	hool year. Please		_
Is this	s evaluation based on a time when the child $\qquad \square$ was \circ	on medication $\; \Box$ w	as not on medica	ation 🗌 r	not sure?
Syn	nptoms	Never	Occasionally	Often	Very Often
1.	Fails to give attention to details or makes careless mistakes in	n schoolwork 0	1	2	3
2.	Has difficulty sustaining attention to tasks or activities	0	1	2	3
3.	Does not seem to listen when spoken to directly	0	1	2	3
	Does not follow through on instructions and fails to finish so (not due to oppositional behavior or failure to understand)	choolwork 0	1	2	3
5.	Has difficulty organizing tasks and activities	0	1	2	3
	Avoids, dislikes, or is reluctant to engage in tasks that require mental effort	e sustained 0	1	2	3
	Loses things necessary for tasks or activities (school assignm pencils, or books)	ents, 0	1	2	3
8.	Is easily distracted by extraneous stimuli	0	1	2	3
9.	Is forgetful in daily activities	0	1	2	3
10.	Fidgets with hands or feet or squirms in seat	0	1	2	3
	Leaves seat in classroom or in other situations in which remasseated is expected	aining 0	1	2	3
	Runs about or climbs excessively in situations in which remassated is expected	ining 0	1	2	3
13.	Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14.	Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15.	Talks excessively	0	1	2	3
16.	Blurts out answers before questions have been completed	0	1	2	3
17.	Has difficulty waiting in line	0	1	2	3
18.	Interrupts or intrudes on others (eg, butts into conversations	s/games) 0	1	2	3
19.	Loses temper	0	1	2	3
20.	Actively defies or refuses to comply with adult's requests or r	rules 0	1	2	3
21.	Is angry or resentful	0	1	2	3
22.	Is spiteful and vindictive	0	1	2	3
23.	Bullies, threatens, or intimidates others	0	1	2	3
24.	Initiates physical fights	0	1	2	3
25.	Lies to obtain goods for favors or to avoid obligations (eg, "c	ons" others) 0	1	2	3
26.	Is physically cruel to people	0	1	2	3
27.	Has stolen items of nontrivial value	0	1	2	3
28.	Deliberately destroys others' property	0	1	2	3
29.	Is fearful, anxious, or worried	0	1	2	3
30.	Is self-conscious or easily embarrassed	0	1	2	3
31.	Is afraid to try new things for fear of making mistakes	0	1	2	3

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

American Academy of Pediatrics







D4 NICHQ Vanderbilt Assessment Sc	ale—TEACH	ER Inform	ant, continue	d	
Teacher's Name: Class	Class Time: Class Name/Period:				
Today's Date: Child's Name:					
Symptoms (continued)		Never	Occasionally	Often	Very Often
32. Feels worthless or inferior		0	1	2	3
33. Blames self for problems; feels guilty		0	1	2	3
34. Feels lonely, unwanted, or unloved; complains that "no or	ne loves him or	her" 0	1	2	3
35. Is sad, unhappy, or depressed		0	1	2	3
				Somewhat	t
Performance		Above		of a	
Academic Performance	Excellent	Average	Average		Problemation
36. Reading	1	2	3	4	5
37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5
				Somewhat	t
Classroom Behavioral Performance	Excellent	Above Average	Average	of a	Problemation
39. Relationship with peers	1	2	3	4	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	5
42. Assignment completion	1	2	3	4	5
43. Organizational skills	1	2	3	4	5
Comments:					
Please return this form to:					
Mailing address:					
Fax number:					
For Office Use Only					
Total number of questions scored 2 or 3 in questions 1–9: _					
Total number of questions scored 2 or 3 in questions 10–18:					
Total Symptom Score for questions 1–18:					
Total number of questions scored 2 or 3 in questions 19–28:					
Total number of questions scored 2 or 3 in questions 29–35:					
Total number of questions scored 4 or 5 in questions 36–43:					
Total number of questions scored 4 of 3 in questions 30–43;					

American Academy of Pediatrics

Average Performance Score:_







D5	NICHQ Vanderbilt Assess	NICHQ Vanderbilt Assessment Follow-up—PARENT Informant			
Today's Date:	Child's Name:		Date of Birth:		
Parent's Name:		Parent's Phone Number:			
	_	ontext of what is appropriate for the assessment scale was filled out who	- ,		

 \square was on medication \square was not on medication \square not sure?

Symptoms	Never	Occasionally	Often	Very Often
Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

		Above		Somewhat of a	t
Performance	Excellent	Average	Average		Problematic
19. Overall school performance	1	2	3	4	5
20. Reading	1	2	3	4	5
21. Writing	1	2	3	4	5
22. Mathematics	1	2	3	4	5
23. Relationship with parents	1	2	3	4	5
24. Relationship with siblings	1	2	3	4	5
25. Relationship with peers	1	2	3	4	5
26. Participation in organized activities (eg, teams)	1	2	3	4	5

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Is this evaluation based on a time when the child

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

American Academy of Pediatrics







D5 NICHQ Vanderbilt Assessment Follow-up—PAR	ENT Inform	nant, cont	inued	
Today's Date: Child's Name:		Date	of Birth:	
Parent's Name: Parent's	Parent's Phone Number:			
Side Effects: Has your child experienced any of the following side	Are these	side effec	ts currently a p	roblem?
effects or problems in the past week?	None	Mild	Moderate	Severe
Headache				
Stomachache				
Change of appetite—explain below				
Trouble sleeping				
Irritability in the late morning, late afternoon, or evening—explain below				
Socially withdrawn—decreased interaction with others				
Extreme sadness or unusual crying				
Dull, tired, listless behavior				
Tremors/feeling shaky				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below				
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below				
Sees or hears things that aren't there				

Explain/Comments:

For Office Use Only
Total Symptom Score for questions 1–18:
Average Performance Score for questions 19–26:

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.







D6	NICHQ Vanderbilt As	NICHQ Vanderbilt Assessment Follow-up—TEACHER Informant					
Teacher's Name:		Class Time:	Class Name/Period:				
Today's Date:	Child's Name:		_ Grade Level:				
and sho	•	or since the last assessm	propriate for the age of the child you are in the scale was filled out. Please indicate the behaviors:	_			
Is this evaluation b	ased on a time when the child	\square was on medicatio	n 🗌 was not on medication 🔲 not sure	,			

Symptoms	Never	Occasionally	Often	Very Often
1. Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3

		Above		Somewhat of a	t
Performance	Excellent	Average	Average	Problem	Problematic
19. Reading	1	2	3	4	5
20. Mathematics	1	2	3	4	5
21. Written expression	1	2	3	4	5
22. Relationship with peers	1	2	3	4	5
23. Following direction	1	2	3	4	5
24. Disrupting class	1	2	3	4	5
25. Assignment completion	1	2	3	4	5
26. Organizational skills	1	2	3	4	5

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright @2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

Revised - 0303









Teacher's Name: Class Time:		Class Name	/Period:		
Today's Date: Child's Name:	Grade Leve	el:			
Side Effects: Has the child experienced any of the following side		Are these side effects currently a problem?			
effects or problems in the past week?	None	Mild	Moderate	Severe	
Headache					
Stomachache					
Change of appetite—explain below					
Trouble sleeping	1				
Irritability in the late morning, late afternoon, or evening—explain below	1				
Socially withdrawn—decreased interaction with others					
Extreme sadness or unusual crying					
Dull, tired, listless behavior	1				
Tremors/feeling shaky	1				
Repetitive movements, tics, jerking, twitching, eye blinking—explain below					
Picking at skin or fingers, nail biting, lip or cheek chewing—explain below					
Sees or hears things that aren't there					
explain/Comments:					
For Office Use Only Total Symptom Score for questions 1–18:					

Adapted from the Pittsburgh side effects scale, developed by William E. Pelham, Jr, PhD.







